Pflügers Archiv

European Journal of Physiology

Vol. 374 1978

Field Editors

P.-O. Åstrand, Stockholm · J. Th. F. Boeles, Amsterdam
D. L. Brutsaert, Antwerpen · F. W. Campbell, Cambridge
V. Capraro, Milano · R. Casteels, Leuven
J. Crabbé, Bruxelles · C. de Rouffignac, Gif-sur-Yvette
J. Durand, Paris · E. Gerlach, München
S. Grillner, Stockholm · H. Hensel, Marburg
K. Hierholzer, Berlin · S. M. Hilton, Birmingham
W. D. Keidel, Erlangen · H. H. Loeschcke, Bochum
H. Meves, Plymouth · B. Öberg, Uppsala
O. H. Petersen, Dundee · E. Simon, Bad Nauheim
L. Tauc, Paris · G. Thews, Mainz · K. Thurau, München
W. Trautwein, Homburg (Saar)
K. J. Ullrich, Frankfurt (Main) · E. Wetterer, Erlangen
J. Zachar, Bratislava · W. G. Zijlstra, Groningen

Subject Editors

N. A. Lassen, København · P. Deetjen, Innsbruck
O. Pompeiano, Pisa

Coordinating Editor

F. Kreuzer, Nijmegen

Springer International

Pflügers Archiv · European Journal of Physiology

Founded in 1868 as „Pflügers Archiv für die gesamte Physiologie des Menschen und der Tiere" by *E. F. W. Pflüger*. Edited by *M. Verworn, E. Abderhalden, A. Bethe, R. Höber, A. v. Muralt, H. Rein* et al.

Published: Vol. 1—29 (1876) Bonn, Cohen und Sohn; Vol. 30—92 (1901) Bonn, E. Strauß; Vol. 93—170 (1917) Bonn, M. Hager; since Vol. 171 (1918) Berlin, Springer.

Since 1920 Pflügers Archiv has included: „Archiv für Physiologie" (Archiv für Anatomie und Physiologie, Physiologische Abteilung). Founded and edited by Johannes Müller, E. du Bois-Reymond, W. v. Waldeyer-Hartz et al. 1877—1914. Leipzig, Veit und Co., since 1915, Berlin, Vereinigung Wissenschaftlicher Verleger, afterwards Walter de Gruyter.

Alle Rechte, einschließlich das der Übersetzung in fremde Sprachen und das der fotomechanischen Wiedergabe oder einer sonstigen Vervielfältigung, auch in Mikroform, vorbehalten. Jedoch wird gewerblichen Unternehmen für den innerbetrieblichen Gebrauch nach Maßgabe des zwischen dem Börsenverein des Deutschen Buchhandels e.V. und dem Bundesverband der Deutschen Industrie abgeschlossenen Rahmenabkommens die Anfertigung einer fotomechanischen Vervielfältigung gestattet. Wenn für diese Zeitschrift kein Pauschalabkommen mit dem Verlag vereinbart worden ist, ist eine Wertmarke im Betrage von DM 0,40 pro Seite zu verwenden. *Der Verlag läßt diese Beträge den Autorenverbänden zufließen.*

Die Wiedergabe von Gebrauchsnamen, Handelsnamen, Warenbezeichnungen usw. in dieser Zeitschrift berechtigt auch ohne besondere Kennzeichnung nicht zu der Annahme, daß solche Namen im Sinne der Warenzeichen- und Markenschutz-Gesetzgebung als frei zu betrachten wären und daher von jedermann benutzt werden dürften.

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions, also in microform, is transferred to the publisher.

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Springer-Verlag Berlin Heidelberg New York

Printers: Wiesbadener Graphische Betriebe GmbH, Wiesbaden

Printed in Germany — © by Springer-Verlag Berlin Heidelberg 1978

Contents

Amery, A. K., s. Fagard, R. H., et al. 199

Attinger, E. O., s. Milton Adams, J., et al. 39

Attinger, F. M., s. Milton Adams, J., et al. 39

Beckmann, U., s. Risch, W. D., et al. 115

Berger, K., s. Berger, W., et al. 205

Berger, W., Berger, K., Berndt, J., Giese, K.
Interaction of Peripheral and Central Respiratory Drives in Cats. I. Effects of Sodium Cyanide as a Peripheral Chemoreceptor Stimulus at Different Levels of CSF pH 205

Berger, W., s. Giese, K., et al. 211

Bernards, J. A., s. Verstappen, F. T. J., et al. 125, 131

Berndt, J., s. Berger, W., et al. 205

Berndt, J., s. Giese, K., et al. 211

Berson, G., Samuel, J.-L., Swynghedauw, B.
A Comparative Study of the Cardiac Troponin Inhibitory Factor (TNI) from Mammalians 277

Betz, E., Csornai, M.
Action and Interaction of Perivascular H^+, K^+ and Ca^{2+} on Pial Arteries 67

Bhagat, B., s. Rao, P. S. 105

Bittar, E. E., s. Schultz, R. 31, 219

Boom, H. B. K., s. Schiereck, P. 135

Caillé, J., Ildefonse, M., Rougier, O.
Existence of a Sodium Current in the Tubular Membrane of Frog Twitch Muscle Fibre; Its Possible Role in the Activation of Contraction 167

Christensen, S.
Dissociation between Antidiuretic Response and Renal Medullary Cyclic AMP Levels in the Rat 229

Claessens, R., s. Turek, Z., et al. 285

Csornai, M., s. Betz, E. 67

Deetjen, P., s. Greger, R., et al. 243

Fagard, R. H., Amery, A. K., Lijnen, P. J.
Renal Responses to Angiotensin II and 1-Sar-8-Ala-A II in Sodium Replete and Deplete Dogs 199

Fink, R., Wettwer, E.
Modified K-Channel Gating by Exhaustion and the Block by Internally Applied TEA^+ and 4-Aminopyridine in Muscle 289

Frank, A., s. Wenzel, D., et al. 107

Gauer, O. H., s. Kapteina, F. W., et al. 23

Gauer, O. H., s. Koubenec, H.-J., et al. 121

Gauer, O. H., s. Risch, W. D., et al. 115, 119

Giese, K., Berndt, J., Berger, W.
Interaction of Central and Peripheral Respiratory Drives in Cats. II. Peripheral and Central Interaction of Hypoxia and Hypercapnia 211

Giese, K., s. Berger, W., et al. 205

Glatt, A., Monnier, M.
EEG Effects of the Ventricular Cerebrospinal Fluid of Rabbits Submitted to Thalamic Stimulation 101

Górka, Z., s. Spławiński, J. A., et al. 15

Greger, R., Lang, F., Oberleithner, H.
Distal Site of Calcium Reabsorption in the Rat Nephron 153

Greger, R., Lang, F., Oberleithner, H., Deetjen, P.
Handling of Oxalate by the Rat Kidney 243

Greger, R., s. Oberleithner, H., et al. 249

Grossmann, U., s. Wodick, R., et al. 91

Grunewald, W. A., Sowa, W.
Distribution of the Myocardial Tissue PO_2 in the Rat and the Inhomogeneity of the Coronary Bed 57

Hanna, B. D., s. Lioy, F., et al. 187

Hatano, Y., s. Toda, N., et al. 73

Hayashi, S., s. Toda, N., et al. 73

Hilton, S. M., Hnik, P.
Professor Ernest Gutmann, M.D., D. Sc. — An Obituary 1

Hnik, P., s. Hilton, S. M. 1

Hultman, E., s. Sahlin, K., et al. 193

Ildefonse, M., s. Caillé, J., et al. 167

Imai, M.
Calcium Transport across the Rabbit Thick Ascending Limb of Henle's Loop Perfused in vitro 255

Jessen, C., s. Mercer, J. B. 179

Kapteina, F. W., Motz, W., Schwartz-Porsche, D., Gauer, O. H.
Comparison of Renal Responses to 5 % Saline Infusions into Vena portae and Vena cava in Conscious Dogs 23

Koubenec, H.-J., Risch, W. D., Gauer, O. H.
Effective Compliance of the Circulation in the Upright Sitting Posture 121

Koubenec, H.-J., s. Risch, W. D., et al. 115, 119

Kreuzer, F., s. Turek, Z., et al. 285

Kreuzer, F., s. Verstappen, F. T. J., et al. 125, 131

Lang, F., s. Greger, R., et al. 153, 243

Lang, F., s. Oberleithner, H., et al. 249

Lange, S., s. Risch, W. D., et al. 115, 119

Lijnen, P. J., s. Fagard, R. H., et al. 199

Lioy, F., Hanna, B. D., Polosa, C.
CO_2-Dependent Component of the Neurogenic Vascular Tone in the Cat 187

Lübbers, D. W., s. Wodick, R., et al. 91

Mayer, C. J., s. Wood, J. D. 265

McDonald, T. F., s. Trautwein, W. 79

Mense, S.
Effects of Temperature on the Discharges of Muscle Spindles and Tendon Organs 159

Mercer, J. B., Jessen, C.
Central Thermosensitivity in Conscious Goats: Hypothalamus and Spinal Cord Versus Residual Inner Body 179

Milton Adams, J., Attinger, F. M., Attinger, E. O.
Medullary and Carotid Chemoreceptor Interaction for Mild Stimuli 39

Monnier, M., s. Glatt, A. 101

Moshagen, D., s. Nagel, W. 235

Motz, W., s. Kapteina, F. W., et al. 23

Nagel, W., Moshagen, D.
Wash Out Characteristics of Tracer Na from the Transport Pool of Frog Skin 235

North, R. A., s. Wallis, D. I. 145

Oberleithner, H., Greger, R., Lang, F.
Role of Calcium in the Decline of Phosphate Reabsorption during Phospate Loading in Actuely Thyroparathyroid-ectomized Rats 249

Oberleithner, H., s. Greger, R., et al. 153, 243

Palmskog, G., s. Sahlin, K., et al. 193

Parrilla, R.
Flux of Metabolic Fuels during Starvation in the Rat 3

Parrilla, R.
The Effect of Starvation in the Rat on Metabolite Concentrations in Blood, Liver and Skeletal Muscle 9

Piontek, E., s. Wodick, R., et al. 91

Polosa, C., s. Lioy, F., et al. 187

Rao, P. S., Bhagat, B.
Effect of Dopamine on Renal Blood Flow of Baboon in Endotoxin Shock 105

Ringnalda, B. E. M., s. Turek, Z., et al. 285

Risch, W. D., Koubenec, H.-J., Beckmann, U., Lange, S., Gauer, O. H.
The Effect of Graded Immersion on Heart Volume, Central Venous Pressure, Pulmonary Blood Distribution, and Heart Rate in Man 115

Risch, W. D., Koubenec, H.-J., Gauer, O. H., Lange, S.
Time Course of Cardiac Distension with Rapid Immersion in a Thermo-Neutral Bath 119

Risch, W. D., s. Koubenec, H.-J., et al. 121

Rougier, O., s. Caillé, J., et al. 167

Rüdel, R., s. Zite-Ferenczy, F. 97

Sahlin, K., Palmskog, G., Hultman, E.
Adenine Nucleotide and IMP Contents of the Quadriceps Muscle in Man after Exercise 193

Samuel, J.-L., s. Berson, G., et al. 277

Schiereck, P., Boom, H. B. K.
Left Ventricular Active Stiffness: Dependency on Time and Inotropic State 135

Schmidt, I.
Interactions of Behavioral and Automatic Thermoregulation in Heat Stressed Pigeons 47

Schultz, R., Bittar, E. E.
Studies of the Mode of Stimulation by External Acidification and Raising the Internal Free Calcium Concentration of the Sodium Efflux in Barnacle Muscle Fibers 31

Schultz, R., Bittar, E. E.
Further Studies of the Mechanism of Stimulation by External Acidification of the Sodium Efflux in Barnacle Muscle Fibers 219

Schwartz-Porsche, D., s. Kapteina, F. W., et al. 23

Skolasinska, K., s. Wodick, R., et al. 91

Sowa, W., s. Grunewald, W. A. 57

Spławiński, J. A., Górka, Z., Zacny, E., Wojtaszek, B.
Hyperthermic Effects of Arachidonic Acid, Prostaglandin E_2 and $F_{2\alpha}$ in Rats 15

Swynghedauw, B., s. Berson, G., et al. 277

Toda, N., Hatano, Y., Hayashi, S.
Modifications by Stretches of the Mechanical Response of Isolated Cerebral and Extracerebral Arteries to Vasoactive Agents 73

Thoden, U., s. Wenzel, D., et al. 107

Trautwein, W., McDonald, T. F.
Current-Voltage Relations in Ventricular Muscle Preparations from Different Species 79

Turek, Z., Claessens, R., Ringnalda, B. E. M., Kreuzer, F.
Blood Volume and Body Haematocrit of Rats Native to a Simulated Altitude of 3 500 m 285

Verstappen, F. T. J., Bernards, J. A., Kreuzer, F.
Effects of Pulmonary Gas Embolism on Circulation and Respiration in the Dog. V. Effect of Changing Breathing Gas Composition on Pulmonary Gas Embolization 125

Verstappen, F. T. J., Bernards, J. A., Kreuzer, F.
Effects of Pulmonary Gas Embolism on Circulation and Respiration in the Dog. VI. Influence of Body Position on the Effects of Pulmonary Gas Embolism 131

Wallis, D. I., North, R. A.
Synaptic Inputt to Cells of the Rabbit Superior Cervical Ganglion 145

Wenzel, D., Thoden, U., Frank, A.
Forelimb Reflexes Modulated by Tonic Neck Positions in Cats 107

Wettwer, E., s. Fink, R. 289

Wodick, R., Lübbers, D. W., Grossmann, U., Skolasinska, K., Piontek, E.
Determination of the Mean Flow Velocity of Blood in Tissue by Application of Locally Generated Hydrogen as an Indicator 91

Wojtaszek, B., s. Spławiński, J. A., et al. 15

Wood, J. D., Mayer, C. J.
Intracellular Study of Electrical Activity of Auerbach's Plexus in Guinea-Pig Small Intestine 265

Zacny, E., s. Spławiński, J. A., et al. 15

Zite-Ferenczy, F., Rüdel, R.
A Diffractometer Using a Lateral Effect Photodiode for the Rapid Determination of Sarcomere Length Changes in Cross-Striated Muscle 97

Indexed in Current Contents

Subject Index

A

Acid base balanced 249—254
Acidification 219—228
— and internal pCa 31—38
Action potential 145—152
— — durations 79—89
Activation of contraction 167—177
Active Stiffness 135—143
— transport 255—263
Actomyosin ATPase 277—283
Adenine nucleotide 193—198
Adenosine 73—77
Adenyl cyclase activity 219—228
— — inhibitor 31—38
ADH 229—234
After-hyperpolarization 145—152
Alkalosis 67—72
Altitude 285—288
Alveolar CO_2 fractional concentration (F_{ACO_2}) 131—134
Amiloride 235—241
4-aminopyridine 289—292
Angiotensin II 199—204
— antagonist 199—204
Anomalous rectification 79—89
Antidiuresis 229—234
Arachidonic acid 15—21
ATPase, actomyosin 277—283
ATPMg 219—228
$ATPNa_2$ 219—228
Autonomic nervous system 265—275
— Thermoregulation 47—55
Avian thermoregulation 47—55

B

Baboon 105—106
Barium 289—292
Barnacle fibers 31—38, 219—228
Basolateral membranes 235—241
Behavioral thermoregulation 47—55
Benzolamide 219—228
Bicarbonate ATPase 219—228
Blockage of potassium conductance 289—292
Blood distribution 115—118
Blood flow 105—106
— volume 121—124, 285—288
Body haematocrit 285—288
— position 131—134
Breathing, control of 39—45

C

Ca^{2+}-binding factor 277—283
Calcium 135—143, 249—254
— reabsorption 153—157
— transport 255—263
c-AMP-dependent protein kinase 277—283
Capillary dimensions 57—66
Carbon dioxide 187—191
Cardiac distension 119—120
— troponin inhibitory factor (TNI) 277—283
Carotid body 205—210, 211—217
— chemoreceptors 39—45
— sinus preparation donor-perfused, bilateral 39—45
Central chemoreceptors 205—210, 211—217
— venous pressure 115—118, 119—120 121—124
Cerebral arterial strip 73—77
Cerebrospinal fluid (csf) 101—104
Chemoreceptor interaction 39—45
Chemoreceptors 187—191
Chemoreceptor stimulus 205—210
Circulating blood volume 285—288
Circulation, central 115—118
—, gas embolism 131—134
Compliance of the circulation 121—124
Conductance change 145—152
Contractile response to vasoactive agents 73—77
Contraction 167—177
Contractions with shortening 97—100
Control of breathing 39—45
— — respiration 205—215, 211—217
Convergence 145—152
Core temperature 47—55
Coronary arterial strip 73—77
— bed, O_2-Shunt 57—66
Creatine phosphate 193—198
Cross-striated muscle 97—100
Current-voltage relations 79—89
Cyclic AMP 229—234

D

Decompression sickness 125—130
Deep body temperature 47—55
— radial nerve 107—113
Dehydration 229—234
Diastolic postero-anterior area of the heart 119—120
Dietary sodium intake 199—204
Diffractometer 97—100
Diffusion conductivity 57—66
Discharges of muscle spindles 159—166
Distal nephron 153—157
Diuresis 199—204
Divergence 145—152
Dopamine 105—106
Dorsiflexion of the body 107—113

E

EEG delta activity 101—104
Effective circulatory compliance 121—124
Efflux (Ke) and influx coefficient (Ki) of Ca^{2+} 255—263
EGTA 31—38, 67—72, 219—228
Electrical activity of Auerbach's plexus 265—275
Electro-chemical potential for Ca^{2+} 255—263
Electroencephalogram 101—104
Electrolytes, effect on pial arteries 67—72
Electrolyte transport, frog skin 235—241
End-diastolic volume 135—143
Endotoxin fever 15—21
— shock 105—106
Energy metabolism 3—7
Enteric neurons 265—275
EPSP 265—275
Evoked synaptic potentials 265—275
Excitation-contraction coupling 167—177
Exercise, bicycle 193—198
Exhaustion 289—292
External acidification 219—228
— — and internal pCa 31—38
Extracerebral arteries 73—77

F

Fatty acid oxidation 9—14
Femoral arterial strip 73—77
Fever 15—21
Filtration fraction 199—204
Flow velocity of Blood 91—96
Forelimb reflexes 107—113
Free water clearance 23—29
Frog skin 235—241
Fuels mobilization 3—7
Furosemide 255—263

G

Ganglion cells in Auerbach's plexus 265—275
Gas embolism 125—130, 131—134
— mixure 125—130
— tensions 211—217
Gastrocnemius muscle 159—166
Gastrointestinal function 265—275
Glomerular filtration 199—204
Glycogen stores, liver 3—7
Gluconeogenesis 3—7, 9—14

H

Haematocrit 285—288
HCO_3^--ATPase 219—228
Heart 79—89
— in situ 91—96
— muscle, TNI 277—283
— rate 115—118
— size 119—120
— volume 115—118
Heat defence activities 47—55
— production 179—186
— stress 47—55
Helium 125—130
Hemoglobin saturation, intracapillary 57—66
Henle's loop perfused in vitro 255—263
Hepatic glycogen stores 3—7

High altitude 285—288
— threshold fibres (C) 145—152
Hindlimb reflexes 107—113
Hydrogen clearance 91—96
—, locally generated 91—96
— pressure 91—96
Hypercapnia 39—45, 211—217
Hyperventilation 187—191
Hypocalcaemia 249—254
Hypothalamus 15—21
— and pinal cord 179—186
Hypoxia 39—45, 211—217

I

Immersion 115—118, 121—124
— in thermo-neutral bath 119—120
Inhomogeneity of coronary bed 57—66
Inorganic phosphate 193—198
Inosine 5-monophosphate 193—198
Inotropic state 135—143
Instrument and techniques 91—96
— — — lateral effect photodiode 97—100
Interaction of respiratory drives 211—217
Interganglionic fiber tracts 265—275
Intracapillary HbO_2 saturation 57—66
Intracarotid injections 205—210
Intrathoracic circulatory compartment 121—124
Intravascular heat exchanger 179—186
Inulin, ^3H 243—248
Ionic interaction 67—72
IPSP 265—275
3-isobutyl-1-methylxanthin 229—234
Isolated perfused hindlimbs 187—191
Isoproterenol 229—234

K

Kaliuresis 199—204
K-channel gating 289—292
Kidney, and angiotensin II 199—204
—, antidiuretic response 229—234
—, blood flow 105—106
— capsule 243—248
—, Ca^{2+} reabsorption 153—157
— function, Ca^{2+} transport 255—263
— —, oxalate transport 243—248
—, PO_4 reabsorption 249—254
—, saline infusion 23—29
Krogh's diffusion coefficient 125—130

L

Lactate 193—198
Left ventricle 135—143
Length-tension relationship 73—77
Light diffraction 97—100
Lipid stores, liver 3—7
Loop of Henle 153—157
Low threshold fibres (B) 145—152

M

Medullary chemoreceptors 39—45
Membrane current 79—89
— time constant 145—152
Mesenteric arterial strip 73—77
Metabolic exhaustion 289—292
— fuels during starvation 3—7
Metabolite concentrations in blood, liver and skeletal muscle 9—14
Microcirculation 91—96
—, myocardium 57—66
Microinfusion 153—157, 243—248
Microperfusion 243—248
Minute ventilation 39—45
Mitochondrial redox state 9—14
Mock CSF 67—72, 205—210
Monosynaptic forelimb reflexes 107—113
Muscle 193—198, 289—292
— fibers 219—228
— —, barnacle 31—38
— fibres 97—100
— spindles 159—166
Muscular contraction 277—283
Myelinated afferent fibres 159—166
Myenteric plexus 265—275
Myocardial tissue PO_2 57—66
Myoplasmic Cl^- concentration 219—228
— cAMP 31—38

N

Na efflux 31—38, 219—228
Na-Na exchange 235—241
Na transport 235—241
Natriuresis 199—204
Nephron 153—157
Nervous outflow from skeletal muscle 159—166
Neurogenic vascular tone 187—191
Neurophysiology 265—275
"Nitrogen sparing" 3—7

O

Obituary, Professor Ernest Gutmann 1—2
O_2 Diffusion model 57—66
Organic acid secretion 243—248
Orthodromic response 145—152
Osmolal clearance 23—29
Osmoregulation 23—29
Osmotic diuresis 249—254
Ouabain 235—241, 255—263
— -insensitive Na efflux 31—38, 219—228
— -poisoned fibers 31—38
Oxygen 125—130
— supply, myocardium 57—66

P

P-aminohippurate 243—248
Panting 47—55
Paracellular fluxes 235—241
Perivascular microinfusion, pial arteries
— space of small pial arteries 67—72
PG endoperoxide synthetase 15—21
pH, cerebrospinal fluid 205—210
Phosphate content 277—283
— loading 249—254
— reabsorption 249—254
Phosphaturia leads 249—254
Photodiode 97—100
Pial vessels 67—72
Plasma renin activity (PRA) 23—29
— volume 285—288
PO_2 Frequency distribution 57—66
Polarographic measurement of hydrogen pressure 91—96
Polyacrylamide gel electrophoresis 277—283
Portal circulation 23—29
Postural mechanisms 107—113
Posture 121—124
— dog 131—134
Potassium channel 79—89
Pressure-volume characteristics 121—124
— relation 135—143
Probenecid 243—248
Prostacyclin 15—21
Prostaglandins E_2 and $F_{2\alpha}$ 15—21
Protein inhibitor of Walsh 219—228
— kinase inhibitor 31—38
Proximal nephron 243—248
PTH, Anticalcuric effect 153—157
Pulmonary arterial pressure 131—134
— blood distribution 115—118
— circulation 119—120
— gas embolism 125—130, 131—134
Pump-oxygenator system 187—191
Pyrazinamide 243—248

Q

Quadriceps muscle 193—198
Quick volume release 135—143

R

Rectification 79—89
Red cell volume 285—288
Renal arterial strip 73—77
— blood flow 105—106, 199—204
— Ca^{2+} transport 255—263
— concentrating ability 229—234
— function 23—29, 153—157
— oxalate transport 243—248
— PO_4 transport 249—254
Residual inner temperature 179—186
Respiration, gas embolism 131—134
Respiratory drives, central 205—210, 211—217
— —, peripheral 205—210, 211—217
— rate 39—45, 47—55
Roentgen-cinematography 119—120
Rubidium 289—292
Ruthenium red 255—263

S

Saline infusion 23—29
Saralasin 199—204
Sarcomere length 97—100
Sceletal muscle 97—100, 167—177, 289—292
Serum osmolality 23—29
Shivering 179—186
Shock 105—106
Skin temperature 47—55
Small intestine 265—275

Smooth muscle 67—72, 265—275
Sodium current 167—177
— depletion 199—204
— efflux 31—38
— excretion 23—29
— loading 199—204
— transport, frog skin 235—241
"Somnogenic" thalamic area of Hess 101—104
Spinal cord 179—186
— monosynaptic reflexes 107—113
Starvation 3—7, 9—14
Stiffness 135—143
Stimulus interaction 211—217
Stretch 73—77
Sucrose gap voltage clamp 79—89
Superior cervical ganglion 145—152
Supraspinal structures 187—191
Sympathetic ganglion cells 145—152
Synaptic input 145—152
Systemic capacitance vessels 119—120

T

TEA 289—292
Temperature 159—166
— sensors 179—186
Tendon organs 159—166
Tetrodotoxin (TTX) 167—177
Thalamic stimulation 101—104
Thermodes 179—186
Thermoregulation 47—55
Thermosensitivity 159—166, 179—186
Thick ascending limb 255—263
Thromboxane A_2 15—21
Thyroparathyroidectomized rats 249—254
Thyroparathyroidectomy 153—157
Tidal volume 39—45
Tissue metabolites 9—14
Titratable acid 249—254
Tonic neck position 107—113
Transaminases 9—14
Transepithelial Na transport 235—241
Transport pool 235—241
Transtubular electrical potential difference (PDt) 255—263
Tubular membrane of frog twitch muscle fibre 167—177
Twitch muscle 167—177
— — fibre 167—177

U

Ulnar nerve 107—113
Urinary nitrogen excretion 3—7
Urine flow 23—29

V

Vagotomy 187—191, 205—210
Vascular tone 187—191
Vasoactive agents 73—77
Vasodilation, renal 105—106
Vasopressin 229—234
Vena cava infusion 23—29
— portae infusion 23—29
Ventilation 205—210
Ventricular cerebrospinal fluid 101—104
— muscle 79—89
— systolic stiffness 135—143
Voltage clamp 79—89, 289—292

W

Wash out kinetics 235—241
Water balance 23—29
— diuresis 229—234

Advice to Authors

The illustrations that will appear in your contribution will be shown to best advantage if you follow the brief set of instructions below. Please read carefully. Thank you.

The Publisher

Preparation of Line Drawings

Illustration copy should be prepared to fit the format of the printed page (print area) so that 1 : 1 reproduction is possible. Where reduction is necessary, please state the desired scale.

Drawings are to be twice the final size and executed in indelible black ink.

Important points to note: thickness of lines, size of inscriptions, size of measuring points, adequate spacing of shaded and dotted areas.

Words should be in upper and lower case characters, not CAPITALS.

The following are optimal sizes as they appear in the journal:
Capital letters and numbers: 2 mm
Lower-case letters: 1.6 mm.



①





②

samples 1 to 5 show the original size and reduction × 50%

③



④

ABCDEFGHIJKLMNOPQRSTUVWXYZ
aabcdefghijklmnopqrstuvwxyz
1234567890 1·5° III IV VIII IX ∞ % ≈
[(=-+x÷ !?:" ",)] (A) (B) (a) (b)

⑤

ABCDEFGHIJKLMNOPQRSTUVWXYZ
aabcdefghijklmnopqrstuvwxyz
1234567890 1·5° III IV VIII IX ∞ % ≈
[(=-+x÷ !?:" ",)] (A) (B) (a) (b)

Selection of Illustration Material for Halftones (photographs, micrographs, X-rays, instrument traces etc.).

Photographs should be sharp, well-contrasted glossy prints of the original negative, trimmed at right angles. Halftone illustrations should be prepared to fit the format of the printed page (print area) so that 1 : 1 reproduction is possible. But if reduction is absolutely necessary, please state the desired scale.

Mark or crop marginal portions which are not required (at right angles, please).

Please see that illustrations that are to appear together are mounted accordingly as plates and that they correspond. Also they should not exceed the print area of the page, including room for the legend.

With X-rays, please indicate the significant parts on the back of the copy, or on an overlay.

Inscriptions, marks and scale lines should preferably be drawn neatly in black ink in an appropriate size on the face of the illustrations. Inscriptions should be about 3 mm high. Where Letraset is used, please handle it carefully and protect the photographs with an overlay.











Pflügers Archiv

European Journal of Physiology

Contents of Volume 374 No. 3 June 1978

Continuation of Table of Contents

Excitable tissues and central nervous physiology (C)

265 **J. D. Wood, C. J. Mayer**
Intracellular Study of Electrical Activity of Auerbach's Plexus in Guinea-Pig Small Intestine

Letters and Notes

289 **R. Fink, E. Wettwer**
Modified K-Channel Gating by Exhaustion and the Block by Internally Applied TEA^+ and 4-Aminopyridine in Muscle

Indexed in Current Contents

Recommendations from the Declaration of Helsinki

I. Basic Principles

1. Clinical research must conform to the moral and scientific principles that justify medical research and should be based on laboratory and animal experiments or other scientifically established facts.
2. Clinical research should be conducted only by scientifically qualified persons and under the supervision of a qualified medical man.
3. Clinical research cannot legitimately be carried out unless the importance of the objective is in proportion to the inherent risk to the subject.
4. Every clinical research project should be preceded by careful assessment of inherent risks in comparison to foreseeable benefits to the subject or to others.
5. Special caution should be exercised by the doctor in performing clinical research in which the personality of the subject is liable to be altered by drugs or experimental procedure.

II. Clinical Research Combined with Professional Care

1. In the treatment of the sick person, the doctor must be free to use a new therapeutic measure, if in his judgment it offers hope of saving life, reestablishing health, or alleviating suffering.
If at all possible, consistent with patient psychology, the doctor should obtain the patient's freely given consent after the patient has been given a full explanation. In case of legal incapacity, consent should also be procured from the legal guardian; in case of physical incapacity the permission of the legal guardian replaces that of the patient.
2. The doctor can combine clinical research with professional care, the objective being the acquisition of new medical knowledge, only to the extent that clinical research is justified by its therapeutic value for the patient.

III. Non-Therapeutic Clinical Research

1. In the purely scientific application of clinical research carried out on a human being, it is the duty of the doctor to remain the protector of the life and health of that person on whom clinical research is being carried out.

2. The nature, the purpose and the risk of clinical research must be explained to the subject by the doctor.

3a. Clinical research on a human being cannot be undertaken without his free consent after he has been informed; if he is legally incompetent, the consent of the legal guardian should be procured.
3b. The subject of clinical research should be in such a mental, physical and legal state as to be able to exercise fully his power of choice.
3c. Consent should, as a rule, be obtained in writing. However, the responsibility for clinical research always remains with the research worker; it never falls on the subject even after consent is obtained.
4a. The investigator must respect the right of each individual to safeguard his personal integrity, especially if the subject is in a dependent relationship to the investigator.
4b. At any time during the course of clinical research the subject or his guardian should be free to withdraw permission for research to be continued. The investigator or the investigating team should discontinue the research if in his or their judgment, it may, if continued, be harmful to the individual.

Guiding Principles in the Care and Use of Animals

Approved by the Council of the American Physiological Society

Only animals that are lawfully acquired shall be used in this laboratory, and their retention and use shall be in every case in strict compliance with state and local laws and regulations.
Animals in the laboratory must receive every consideration for their bodily comfort; they must be kindly treated, properly fed, and their surroundings kept in a sanitary condition.
Appropriate anesthetics must be used to eliminate sensibility to pain during operative procedures. Where recovery from anesthesia is necessary during the study, acceptable technic to minimize pain must be followed. Curarizing agents are not anesthetics. Where the study does not require recovery from anesthesia, the animal must be killed in a humane manner at the conclusion of the observations.
The postoperative care of animals shall be such as to minimize discomfort and pain, and in any case shall be equivalent to accepted practices in schools of Veterinary Medicine.
When animals are used by students for their education or the advancement of science such work shall be under the direct supervision of an experienced teacher or investigator. The rules for the care of such animals must be the same as for animals used for research.

Pflügers Archiv

European Journal of Physiology

Contents of Volume 374 No. 3 June 1978

Heart, circulation, respiration and blood; environmental and exercise physiology (A)

205 **W. Berger, K. Berger, J. Berndt, K. Giese**
Interaction of Peripheral and Central Respiratory Drives Cats. I. Effects of Sodium Cyanide as a Peripheral Chemoreceptor Stimulus at Different Levels of CSF pH

211 **K. Giese, J. Berndt, W. Berger**
Interaction of Central and Peripheral Respiratory Drives in Cats. II. Peripheral and Central Interaction of Hypoxia and Hypercapnia

219 **R. Schultz, E. E. Bittar**
Further Studies of the Mechanism of Stimulation by External Acidification of the Sodium Efflux in Barnacle Muscle Fibers

277 **G. Berson, J.-L. Samuel, B. Swynghedauw**
A Comparative Study of the Cadiac Troponin Inhibitory Factor (TNI) from Mammalians

285 **Z. Turek, R. Claessens, B. E. M. Ringnalda, F. Kreuzer**
Blood Volume and Body Haematocrit of Rats Native to a Simulated Altitude of 3500 m

Transport processes, metabolism and endocrinology; kidney, gastrointestinal tract, and exocrine glands (B)

229 **S. Christensen**
Dissociation between Antidiuretic Response and Renal Medullary Cyclic AMP Levels in the Rat

235 **W. Nagel, D. Moshagen**
Wash Out Characteristics of Tracer Na from the Transport Pool of Frog Skin

243 **R. Greger, F. Lang, H. Oberleithner, P. Deetjen**
Handling of Oxalate by the Rat Kidney

249 **H. Oberleithner, R. Greger, F. Lang**
Role of Calcium in the Decline of Phosphate Reabsorption during Phosphate Loading in Acutely Thyroparathyroidectomized Rats

255 **M. Imai**
Calcium Transport across the Rabbit Thick Ascending Limb of Henle's Loop Perfused in vitro

Continuation of Table of Contents see preceding page

Springer International